JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 51

AUTHOR INDEX

		No.	Page
1.	ALEXANDER, R. R., Growth, morphology and ecology of Paleozoic and Mesozoic opportunistic species of brachiopods from Idaho-Utah	6	1133
2.	ALEXANDROWICZ, S. W., Sclerites of octocorals from the Upper Cretaceous of eastern Poland	4	687
3.	AUSICH. W. I., The functional morphology and evolution of *Pisocrinus* (Crinoidea: Silurian)	4	672
4.	BALDWIN, C. T., *Rusophycus morgati*: an asaphid produced trace fossil from the Cambro-ordovician of Brittany and northwest Spain	2	411
5.	BARTHOLOMEW, M. J., and C. G. TILLMAN, *Microparia*, a cyclopygid trilobite of Porterfield age from Virginia	1	131
6.	BAUM, G. R., and W. H. WHEELER, Cetaceans from the St. Marys and Yorktown formations, Surry County, Virginia	3	492
7.	BELAK, R., Ontogeny of the Devonian leperditiid ostracode *Herrmannina alta*	5	943
8.	BELL, B. M., Respiratory schemes in the class Edrioasteroidea	3	619
9.	BERMAN, D. S., A new species of *Dimetrodon* (Reptilia, Pelycosauria) from a non-deltaic facies in the Lower Permian of north-central Mexico	1	108
10.	BERMAN, D. S., *Spathorhynchus natronicus*, a new species of rhineurid amphisbaenian (Reptilia) from the early Oligocene of Wyoming	5	986
11.	BERRY, W. B., Ecology and age of graptolites from graywackes in eastern New York	6	1102
12.	BICKEL, D., A new genus and species of freshwater gastropod from the Paleocene Tongue River Formation of North Dakota	1	123
	BISHOP, G. A., see Feldmann, R. M. (38)		
13.	BOLT, J. R., Dissorophoid relationships and ontogeny, and the origin of the Lissamphibia	2	235
14.	BOUCOT, A. J., Rates of evolution and number of descriptive terms (paleontological note)	2	414
15.	BOUCOT, A. J., and J. REHMER, *Pacificocoelia acutiplicata* (Conrad 1841) (Brachiopoda) from the Esopus Shale (Lower Devonian) of eastern New York	6	1123
	BREIMER, A., see MACURDA, D. B. (77)		
16.	BRENCKLE, P., *Mametella*, a new genus of calcareous red algae(?) of Mississippian age in North America	2	250
	BRETSKY, P. W., see BRETSKY, S. S. (18)		
17.	BRETSKY, S. S., Evolution and extinction rate controls, by Arthur J. Boucot (review)	1	206
18.	BRETSKY, S. S., and P. W. BRETSKY, Morphological variability and change in the paleotaxodont bivalve mollusk *Nuculites planulatus* (Upper Ordovician of Quebec)	2	256
19.	BRETT, C. E., Entombment of a trilobite within a closed brachiopod shell	5	1041
20.	BREYER, J., Intra- and interspecific variation in the lower jaw of *Hemiauchenia*	3	527
21.	BUCUREL, H. G., and C. K. CHAMBERLAIN, Status and redescription of the Lower Pennsylvanian trilobite *Ditomopyge ornata* (Vodges)	2	405
	CARROLL, R. L., see HARRIS, J. M. (54)		
22.	CHAMBERLAIN, C. K., Carboniferous and Permian trilobites from Ellesmere Island and Alaska	4	758
	CHAMBERLAIN, C. K., see BUCUREL, H. G. (21)		
23.	CHATTERTON, B. D. E., and D. G. PERRY, Lochkovian trilobites and conodonts from northwestern Canada	4	772
	CLEMENS, W. A., see NOVACEK, M. (86)		
24.	COAD, B. W., On the nomenclature of the genus name *Tribolodon* (Osteichthyes and and Reptilia) (paleontological note)	5	1046
25.	COOPER, B. J., Toward a familial classification of Silurian conodonts	6	1057
26.	CRILL, P. A., K. M. WALLACE and S. A. KLING, Computer compatible data collection (paleontological note)	4	858
27.	CRIMES, T. P., Modular construction of deep-water fossils from the Cretaceous of Spain	3	591
28.	CURRIE, P. J., A new Haptodontine sphenacodont (Reptilia: Pelycosauria) from the Upper Pennsylvanian of North America	5	927

29. DEBRENNE, F. *Diplocyathellus* new name from the archeocyathid *Diplocyathus* Debrenne, 1974, not Allman, 1888 (paleontological note) 6 1222
30. DECOURTEN, F., and F. SUNDBERG, Late Cretaceous ammonites from the Mancos Shale of Black Mesa, Arizona (paleontological note) 6 1220
31. DEKEYSER, T. L., Late Devonian (Frasnian) brachiopod community patterns in Western Canada and Iowa 1 181
DILCHER, D. L., see PHEIFER, R. N. (93)
32. DIMES, F. G., Palaeontographical Society Annual, Volume 130 (review) 4 880
33. DUSHANE, H., A new species of *Amaea* (*Scalina*) from the Pliocene of Baja California Sur, Mexico (Mollusca: Gastropoda) 5 953
34. ETHINGTON, R. L., The Ordovician System: Proceedings of a Paleontological Association Symposium, Birmingham, September 1974 (review) 6 1224
35. FAGERSTROM, J. A., The stromatoporoid genus *Stictostroma* Parks, 1936: its type species, type specimens and type locality (paleontological note) 2 416
36. FAGERSTROM, J. A., Structure and Classification of Paleocommunities, edited by R. W. Scott and R. R. West (review) 2 429
37. FELDMAN, H. R., Paleoecology and morphologic variation of a Paleocene terebratulid brachiopod (*Oleneothyris harlani*) from the Hornerstown Formation of New Jersey 1 86
38. FELDMANN, R. M., G. A. BISHOP and T. W. KAMMER, Macrurous decapods from the Bearpaw Shale (Cretaceous: Campanian) of northeastern Montana 6 1161
39. FOSTER, A. B., Proceedings of the Second International Symposium on Coral Reefs, edited by A. M. Cameron, and others (review) 4 876
40. FREST, T. J., and H. L. STRIMPLE, Three new camerates (Echinodermata: Crinoidea) from the Silurian of Oklahoma and Tennessee 2 272
41. FREST, T. J., and H. L. STRIMPLE, The taxonomic status of *Poteriocrinus* (*Scaphiocrinus*) *mcadamsi* Meek & Worthen, 1873 (paleontological note) 4 860
42. FREST, T. J., and H. L. STRIMPLE, Hirneacrinidae (new), simple Silurian camerate crinoids from the North American continental interior 6 1181
43. GARLOCK, T. L., and P. E. ISAACSON, An occurrence of a *Cruziana* population in the Moyer Ridge Member of the Bloomsburg Formation (Late Silurian)—Snyder County, Pennsylvania 2 282
44. GOEL, R. K., Triassic conodonts from Spiti (Himachal Pradesh), India 6 1085
45. GOLZ, D. J., G. T. JEFFERSON, and M. P. KENNEDY, Late Pliocene vertebrate fossils from the Elsinore fault zone, California 4 864
46. GORDON, M., JR., and E. L. YOCHELSON, Replacement name for an American Mississippian gastropod (paleontological note) 1 200
47. GREEN, M., *Dipoides* (Rodentia: Castoridae) from Yankton County, South Dakota 1 136
48. GREEN, M., Neogene Zapodidae (Mammalia: Rodentia) from South Dakota 5 996
49. GREEN, M., and J. A. HOLMAN, A late Tertiary stream channel fauna from South Bijou Hill, South Dakota 3 543
50. GREEN, R. G., *Niobrarateuthis walkeri*, a new species of teuthid from the Upper Cretaceous Niobrara Formation of Kansas 5 992
51. GREINER, H., Crossopterygian fauna from the Albert Formation, New Brunswick, Canada, and its stratigraphic-paleoecologic significance 1 44
GROVE, K. A. see LANGENHEIM, R. L., JR. (70)
GUTSCHICK, R. C., see RODRIGUEZ, J. (99)
52. HAGLUND, T. R., New occurrences and paleoecology of *Peronedon primus* Olson (Nectridea) 5 982
53. HAMMEN, C. S., AND S. C. LUM, Salinity tolerance and pedicle regeneration of *Lingula* 3 548
54. HARRIS, J. M., AND R. L. CARROLL, *Kenyasaurus*, a new eosuchian reptile from the Early Triassic of Kenya 1 139
55. HATTIN, D. E., Articulated lepadomorph cirripeds from the Upper Cretaceous of Kansas: Family Stramentidae 4 797
HOLMAN, J. A., see GREEN, M. (49)
56. HORODYSKI, R. J., Environmental influences on columnar stromatolite branching patterns: examples from the Middle Proterozoic Belt Supergroup, Glacier National Park, Montana 4 661
57. Howell, J., Photography of low-contrast fossils (paleontological note) 2 419
58. HUNT, R. M., JR., Basicranial anatomy of *Cynelos* Jourdan (Mammalia: Carnivora), an Aquitanian amphicyonid from the Allier Basin, France 4 826
ISAACSON, P. E., see GARLOCK, T. L. (43)
59. ISAACSON, P. E., AND D. G. PERRY, Biogeography and morphological conservatism of *Tropidoleptus* (Brachiopoda, Orthida) during the Devonian 6 1108

60. JACOBS, L. L., Rodents of the Hemphillian age Redington local fauna, San Pedro Valley, Arizona 3 505
JEFFERSON, G. T., see GOLZ, D. J. (45)
61. JELL, P. A., A new subgenus of *Proetus* (Trilobita) from the Lower Carboniferous of Queensland 1 169
62. JENSEN, J. A., and J. H. OSTROM, A second Jurassic pterosaur from North America .. 4 867
JOHNSON, J. G., see SMITH, R. E. (113)
63. JONES, B., Variation in the Upper Silurian Brachiopod *Atrypella phoca* (Salter) from Somerset and Prince of Wales Islands, Arctic Canada 3 459
64. KALACHEVA, E. D., and I. I. SEY, On the genus *Tugurites* (Ammonoidea) 1 63
KAMMER, T. W., see FELDMANN, R. M. (38)
65. KAUFFMANN, E. G., Jurassic Environments, by Anthony Hallam (review) 1 203
66. KAUFFMANN, E. G., Oysters, by H. B. Stenzel, 1971, *in* R. C. Moore (ed.), Treatise on Invertebrate Paleontology (review) 2 427
KENNEDY, M. P., see GOLZ, D. J. (45)
KLING, S. A., see CRILL, P. A. (26)
67. KOCH, R. C., and R. K. OLSSON, Dinoflagellate and planktonic foraminiferal biostratigraphy of the uppermost Cretaceous of New Jersey 3 480
68. KOZUR, H., *Vjalovognathus* nom. nov. replaces *Vjalovites* Kozur, 1976 (paleontological note) 4 870
69. LANDING, E., *"Prooneotodus" tenuis* (Müller, 1959) apparatuses from the Taconic Allochthon, eastern New York: construction, taphonomy and the protoconodont "Supertooth" model 6 1072
70. LANGENHEIM, R. A., JR., W. J. NELSON, K. A. GROVE and J. E. MCGOVNEY, Fusulinids in carbonate microfacies of Bird Spring Group, Arrow Canyon Quadrangle, Clark County, Nevada 5 1016
71. LAUB, R. S., Location of some previously lost crinoid and blastoid type specimens from the Middle Devonian of New York State (paleontological note) 5 1046
72. LEFFINGWELL, H. A., and R. P. MORGAN, Restudy and comparison of the dinoflagellate cyst genus *Carpodinium* to that of *Prionodinium* n. gen. 2 288
73. LIEBE, R. M., and C. B. REXROAD, Conodonts from Alexandrian and early Niagaran rocks in the Joliet, Illinois, area 4 844
74. LUDVIGSEN, R., The Ordovician trilobite *Ceraurinus* Barton in North America 5 959
LUM, S. C., see HAMMEN, C. S. (53)
MACFADDEN, B. J., see SKINNER, M. F. (111)
75. MACURDA, D. B., JR., *Arcuoblastus* and *Decemoblastus*, two new Mississippian blastoid genera from the Burlington Limestone, Iowa 6 1201
76. MACURDA, D. B., and A. BREIMER, *Strongyloblastus*, a Mississippian blastoid from western Canada 4 693
MALLORY, V. S., see WARD, P. D. (126)
MAPES, R. H., see STRIMPLE, H. L. (120)
77. MARSHALL, L. G., A new species of *Lycopsis* (Borhyaenidae: Marsupialia) from La Venta fauna (Late Miocene) of Colombia, South America 3 633
78. MARTIN, L. D., and J. D. STEWART, The oldest (Turonian) mosasaurs from Kansas ... 5 973
79. MASTERS, B. A., The neotype of *Globigerina cretacea* var. *delrioensis* Carsey (taxonomic notes) 3 643
MCGOVNEY, J. E., see LANGENHEIM, R. L., JR. (70)
80. MCGUGAN, A., Trace fossils of problematical origin from the Permian of Banff, Alberta . 5 1037
81. MCKINNEY, F. K., Autozooecial budding patterns in dendroid Paleozoic bryozoans 2 303
82. MILLER, M. F., Forensic Geology: Earth Sciences and Criminal Investigation, by R. C. Murray and J. C. G. Tedrow (review) 2 462
MORGAN, R. P., see LEFFINGWELL, H. A. (72)
83. MURPHY, M. A., On time-stratigraphic units 2 213
84. NASSICHUK, W. W., Upper Permian ammonoids from the Cache Creek Group in Western Canada 3 557
NELSON, W. J., see LANGENHEIM, R. L., JR. (70)
NESTELL, M., see SCOTT, R. W. (107)
85. NOVACEK, M., and W. A. CLEMENS, Aspects of intrageneric variation and evolution of *Mesodma* (Multituberculata, Mammalia) 4 701
86. OEHLER, D. Z., Pyrenoid-like structures in Late Precambrian algae from the Bitter Springs Formation of Australia 5 885
87. OLIVER, W. A., JR., and W. J. SANDO, *Tabellaephyllum* Stumm is a *Michelinia* (Carboniferous, Tabulata) (paleontological note) 2 422

OLSSON, R. K., see KOCH, R. C. (67)
OSTROM, J. H., see JENSEN, J. A. (62)
88. PATON, R. L., *Parotosuchus* Ochev & Shishkin, 1968 (Amphibia: Labyrinthodontia) Non *Archotosaurus* Paton, 1976; a replacement name for *Parotosaurus* Jaekel, 1922 ... 6 1223
89. PEEL, J. S., Relationship and internal structure of a new *Pilina* (Monoplacophora) from the Late Ordovician of Oklahoma ... 1 116
PERRY, D. G., see CHATTERTON, B. D. E. (23)
PERRY, D. G., see ISAACSON, P. E. (59)
90. PETERSON, C. H., The paleoecological significance of undetected short-term ecological succession ... 5 976
91. PETTERS, S. W., Bolivinoides evolution and Upper Cretaceous biostratigraphy of the Atlantic Coastal Plain of New Jersey ... 5 1023
92. PHEIFER, R. N., and D. L. DILCHER, Collecting fossil and rock specimens with a carbide tipped chain and chain saw (paleontological note) ... 1 197
93. PITRAT, C. W., Spiriferid brachiopods from the Traverse Group of Michigan: *Orthospirifer* ... 2 330
94. PITRAT, C. W., History of Life, by Richard Cowen (review) ... 5 1049
95. POWELL, E. N., The relationship of the trace fossil *Gyrolithes* (=*Xenohelix*) to the family Capitellidae (Polychaeta) ... 3 552
REHMER, J., see BOUCOT, A. J. (15)
REXROAD, C. B., see LIEBE, R. M. (73)
96. RIGBY, J. K., A new chiastoclonellid sponge from the Devonian of Michigan ... 6 1215
RISK, M. J., see WARD, P. (125)
ROBINSON, P. T., see WOODBURNE, M. O. (134)
97. RODRIGUEZ, J., and R. C. GUTSCHICK, Barnacle borings in live and dead hosts from the Louisiana Limestone (Famennian) of Missouri ... 4 718
ROOT, S. A., see SCOTT, R. W. (107)
98. ROSE, K. D., Evolution of carpolestid primates and chronology of the North American middle and late Paleocene ... 3 536
99. ROSS, R. J., JR., Ordovician Trilobite Faunas of Central and Southwestern China, by Lu Yen-hao (review) ... 3 645
100. ROWELL, A. J., Early Cambrian brachiopods from the southwestern Great Basin of California and Nevada ... 1 68
101. ROWETT, C. L., Permian Exploration, Boundaries, and Stratigraphy, edited by John M. Cys and Donald F. Toomey (review) ... 1 202
102. SADA, K., and J. W. SKINNER, *Paradoxiella* from Japan (palaeontological note) ... 2 421
103. SANDO, W. J., The status of North American upper Paleozoic coral biostratigraphy ... 1 1
SANDO, W. J., see OLIVER, W. A., JR. (87)
104. SAVAGE, N. M., Lower Devonian conodonts from the Gazelle Formation, Klamath Mountains, northern California ... 1 57
105. SCHIEBOUT, J. A., *Schizotheroides* (Mammalia: Perissodactyla) from the Oligocene of Trans-Pecos Texas ... 3 455
106. SCOTT, R. W., The Cretaceous System in the Western Interior of North America, edited by W. G. E. Caldwell (review) ... 5 1048
107. SCOTT, R. W., Paleobiology of Lower Cretaceous carditid bivalves, North America ... 6 1150
108. SCOTT, R. W., S. A. ROOT, J. H. TENERY and M. NESTELL, Morphology of the Cretaceous microcrinoid *Poecilocrinus* (Roveacrinidae) ... 2 343
109. SEN GUPTA, B. K., Foraminifera, Volume 1, edited by R. H. Hedley and C. G. Adams (review) ... 2 430
SEY, I. I., see KALACHEVA, E. D. (64)
110. SHEEHAN, P. M., Late Ordovician and earliest Silurian meristellid brachiopods in Scandinavia ... 1 23
SKINNER, J. W., see SADA, K. (102)
111. SKINNER, M. F., and B. J. MACFADDEN, *Comohipparion* N. Gen. (Mammalia, Equidae) from the North American Miocene (Barstovian-Clarendonian) ... 5 912
112. SLOSS, L. L., International Stratigraphic Guide: A Guide to Stratigraphic Classifications, Terminology and Procedure, by H. D. Hedberg (ed.) (review) ... 3 644
113. SMITH, R. E., and J. G. JOHNSON, *Atrypella scheii* (Holtedahl) and *Atrypella phoca* (Salter), (Silurian Brachiopoda) ... 2 350
114. SOLEM, A., Fossil endodontid land snail from Midway Atoll ... 5 902
115. SORAUF, J. E., Microstructure and magnesium content in *Lophophyllidium* from the Lower Pennsylvanian of Kentucky ... 1 150
116. SORAUF, J. E., Occurrence of abundant *Pachyphyllum* from Upper Devonian (Frasnian) rocks of New York State (paleontological note) ... 4 871

117. SPEDEN, I., Bivalve Faunas of the Cretaceous Himenoura Group in Kyushu, by Masayuki Tashiro (review) 2 431
118. STANLEY, G. D., JR., Paleoecology of *Subulites*: a gastropod in the Middle Ordovician of central Tennessee 1 161
STEWART, J. D., see MARTIN, L. D. (78)
119. STRIMPLE, H. L., A youthful specimen of *Stenopecrinus ornata* (Crinoidea: Inadunata) (paleontological note) 2 423
120. STRIMPLE, H. L., and R. H. MAPES, A new Upper Pennsylvanian fissiculate blastoid from Texas 2 357
STRIMPLE, H. L., see FREST, T. J. (40)
STRIMPLE, H. L., see FREST, T. J. (41)
STRIMPLE, H. L., see FREST, T. J. (42)
STUMP, E., see YOCHELSON, E. L. (138)
SUNDBERG, F., see DECOURTEN, F. (30)
SZALAY, F. S., see WILSON, J. A. (131)
121. TAPPAN, J., Cenozoic Planktonic Foraminifera Zonation and Characteristics of Index Forms, by R. M. Stainforth, J. L. Lamb, Hanspeter Luterbacher, J. H. Beard, and R. M. Jeffords (review) 2 432
122. TEICHERT, C., The wrinkled layer of cephalopod shells: a correction (paleontological note) 1 197
TENERY, J. H., see SCOTT, R. W. (107)
123. THULBORN, R. A., Relationships of the Lower Jurassic dinosaur *Scelidosaurus harrisonii* 4 725
TILLMAN, C. G., see BARTHOLOMEW, M. J. (5)
124. TUCKER, J. K., A new species of nautiloid (genus *Cooperoceras*) from the Pennsylvanian of Illinois 2 363
WALLACE, K. M., see CRILL, P. A. (26)
125. WARD, P., and M. J. RISK, Boring pattern of the sponge *Cliona vermifera* in the coral *Montastrea annularis* 3 520
126. WARD, P. D., and V. S. MALLORY, Taxonomy and evolution of the Iytoceratid genus *Pseudoxybeloceras* and relationship to the genus *Solenoceras* 3 606
127. WARD, P. J., and G. E. G. WESTERMANN, First occurrence, systematics, and functional morphology of *Nipponites* (Cretaceous Lytoceratina) from the Americas 2 367
128. WELLES, S., *Allosaurus fragilis*: A Revised Osteology, by James H. Madsen, Jr. (review) . 4 879
129. WEST, R. R., Life assemblage and substrate of *Meekella striatocostata* (Cox) 4 740
WESTERMANN, G. E. G., see WARD, P. J. (127)
WHEELER, W. H., see BAUM, G. R. (6)
130. WHETSTONE, K. N., A plesiosaur from the Coon Creek Formation (Cretaceous) of Tennessee (paleontological note) 2 424
131. WILSON, J. A., and F. S. SZALAY, *Mahgarita*, new name for *Margarita* Wilson and Szalay, 1976 *non* Leach 1814 (1819; Tea, 1836; Lister 1894) (taxonomic notes) 3 643
132. WOLLEBEN, J. A., Paleontology of the Difunta Group (Upper Cretaceous–Tertiary) in northern Mexico 2 373
133. WOODBURNE, M. O., Definition and characterization in mammalian chronostratigraphy 2 220
134. WOODBURNE, M. O., and P. T. ROBINSON, A new Late Hemingfordian mammal fauna from the John Day Formation, Oregon, and its stratigraphic implications 4 750
135. YANCEY, T. E., The Carboniferous and Permian Systems in Thailand and Malaysia, by R. Toriyama, T. Hamada, H. Igo, R. Ingavat, K. Kanmera, T. Kobayashi, T. Koike, T. Ozawa, K. Pitakpaivan, S. Piyasin, S. Sakagami, J. Yanagida and E. H. Yin (review) 2 426
136. YOCHELSON, E. L., Agmata, a proposed extinct phylum of Early Cambrian age 3 437
137. YOCHELSON, E. L., Carbonate Facies in Geologic History, by James Lee Wilson (review) 4 878
138. YOCHELSON, E. L., and E. STUMP, Discovery of Early Cambrian fossils at Taylor Nunatak, Antarctica (paleontological note) 4 872
YOCHELSON, E. L., see GORDON, M., JR. (46)
139. ZIDEK, J., An acanthodid shoulder girdle from Lower Mississippian of Nova Scotia (paleontological note) 1 199
140. ZINSMEISTER, W. J., First occurrence of *Volutocorbis* Dall in the Tertiary of Western North America and a review of the subgenus *Retipirula* Dall (Mollusca: Gastropoda) .. 1 177
141. ZINSMEISTER, W. J., Note on a new occurrence of the southern hemisphere aporrhaid gastropod *Struthioptera* Finlay & Marwick on Seymour Island, Antarctica 2 399

SUBJECT INDEX

Agmata: new phylum (136)
Agmoblastus caddense: new species, blastoid (120)
Alaska: dinoflagellates, Cretaceous (72); trilobites, Carboniferous and Permian (22)
Alberta: Permian trace fossils (80)
Algae: calcareous red, Mississippian, North America (16); pyrenoid-like structures, Precambrian, Australia (86)
Amaea (Scalina) edwilsoni: new species, gastropod (33)
Ammonoidea: Cretaceous, Arizona (30); Cretaceous lytoceratids, taxonomy and evolution (126); Cretaceous, *Nipponites*, North America (127); Permian, Western Canada (84); *Tugurites*, Jurassic (64)
Amphibia: dissorophoid relationship and ontogeny (13); Permian, paleoecology (52)
Anatomy: basicranial, of *Cynelos*, Carnivora (58)
Antarctica: Cambrian fossils, Taylor Nunatak (138); Gastropoda, Eocene (141)
Arcuoblastus: new genus, blastoid (75)
Arizona: Ammonites, Cretaceous (30); rodents, Hemphillian, San Pedro Valley (60)
Arthropoda: decapods, Cretaceous, Montana (38)
Australia: Precambrian algal structures (86)
Barnacle borings: Devonian, Missouri (97)
Biogeography: *Tropidoleptus*, brachiopods, Devonian (59)
Biostratigraphy: Cretaceous, *Bolivinoides*, New Jersey (91); dinoflagellate and foraminiferal, Cretaceous, New Jersey (67); Paleozoic corals, North America (103)
Bivalvia: Cretaceous, paleobiology (107); *Nuculites planulatus*, Ordovician, morphological variation (18)
Blastoidea: Mississippian, Iowa (75); Pennsylvanian, Texas (120); *Stronglyloblastus*, Mississippian, western Canada (76); type specimens, Devonian, New York (71)
Bolotridon: new genus replacement name for *Tribolodon*, reptile (24)
Boring pattern: sponge, in corals (125)
Brachiopoda: Cambrian, California and Nevada (100); Devonian, community patterns, western Canada and Iowa (31); life assemblage, *Meekella striatocostata* (129); *Lingula*, salinity tolerance and pedicle regeneration (53); opportunistic species, Paleozoic-Mesozoic, Idaho-Utah (1); Ordovician and Silurian, Scandinavia (110); *Pacificocoelia acutiplicata*, Devonian, New York (15); paleoecology, Paleocene terebratulid (37); Silurian, Arctic Canada (63); Silurian atrypoids, Arctic Canada (113); spiriferid, Devonian, Michigan (93); *Tropidoleptus*, biogeography and morphology (59); with entombed trilobite (19)
Brittany: trace fossil, Cambro-ordovician (4)
Bryozoa: dendroid, budding patterns, Paleozoic (81)
Budding patterns: dendroid bryozoans, Paleozoic (81)
California: Brachiopoda (100); conodonts, Devonian, Klamath Mountains (104); mammals, Pliocene (45)
Cambrian: Brachiopoda, California and Nevada (100); fossils in Antarctica (138); new extinct phylum, Agmata (136); protoconodonts, New York (69)
Cambro-ordovician: trace fossil, Brittany and Spain (4)
Canada: Ammonoidea, Permian (84); Arctic, Silurian brachiopod (63); northwestern, Devonian trilobites and conodonts (23); western, Devonian brachiopod community patterns (31); western, Mississippian blastoids (76)
Carboniferous: corals, *Tabellaephyllum* Stumm is a *Michelinia* (87); trilobites, Alaska and Ellesmere Island (22)
Cephalopoda: teuthid, Cretaceous, Kansas (50); wrinkled shell layer (122)
Cerithium nodosa: new species, Gastropoda (132)
Cerithium pueblensis: new species, Gastropoda (132)
Chronostratigraphy: mammalian (133)
Cirripeds: Cretaceous, Kansas (55)
Classification: Silurian Conodonts (25)
Collecting fossils: with chain saw (92)
Colombia: marsupial, Miocene (77)
Colorado: pterosaur, Jurassic (62)
Computer: data collection (26)
Conodonts: Cambrian protoconodont construction, New York (69); Devonian, California (104); Devonian, northwestern Canada (23); Silurian, classification (25); Silurian, Illinois (73); Triassic, India (44)
Cookeconcha antiquus: new species, gastropod (114)
Cooperoceras milleri: new species, nautiloid (124)
?Copemys vasquezi: new species, rodent (60)
Corals: microstructure, Kentucky (115); *Pachyphyllum*, Devonian, New York (116); Paleozoic, North America (103); *Tabellaephyllum* Strumm is a *Michelinia*, Carboniferous (87)

Cormohipparian: new genus, Equidae (111)
Cretaceous: ammonites, Arizona (30); Ammonoidea, *Nipponites*, North America (127); Ammonoidea, taxonomy and evolution (126); biostratigraphy and *Bolivinoides* evolution, New Jersey (91); biostratigraphy, New Jersey (67); bivalves, paleobiology (107); cirripeds, Kansas (55); decapods, Montana (38); Difunta Group, Paleontology, Mexico (132); dinoflagellates, Alaska (72); microcrinoids, Texas (108); oldest mosasaurs, Kansas (78); octocoral sclerites, Poland (2); Plesiosaur, Tennessee (130); teuthid, Kansas (50); trace fossils, Spain (27)
Crinoidea: Camerates, Silurian, Oklahoma, Tennessee (40); Microcrinoid morphology, Cretaceous, Texas (108); Silurian, North America (42); Silurian, *Pisocrinus*, morphology and evolution (3); taxonomic status of *Poteriocrinus (Scaphiocrinus) mcadamsi* (41); type specimens, Devonian, New York (71); youthful specimen of *Stenopecrinus ornata* (119)
Crossopterygian: New Brunswick, Canada (51)
Data Collection: computer compatible (26)
Decapods: Cretaceous, Montana (38)
Decemoblastus: new genus, blastoid (75)
Devonian: barnacle borings, Missouri (97); brachiopod community patterns, western Canada and Iowa (31); brachiopods, biogeography and morphology (59); brachiopods, New York (15); conodonts, California (104); crinoid and blastoid types, New York (71); crossopterygian fauna, New Brunswick, Canada (51); ostracode ontogeny (7); *Pachyphyllum*, New York (116); spiriferid brachiopods, Michigan (93); sponge, Michigan (96); trilobite entombed in brachiopod shell (19); trilobites and conodonts, northwestern Canada (23)
Difunta Group: Paleontology, Cretaceous-Tertiary, Mexico (132)
Dimetrodon occidentalis: new species, Reptilia (9)
Dinoflagellates: biostratigraphy, Cretaceous, New Jersey (67); Cretaceous, Alaska (72)
Diplocyathellus: new genus, archeocyathid (29)
Ecological succession: paleoecological significance (90)
Ecology: *Lingula* brachiopods, salinity tolerance (53)
Edrioasteroidea: respiratory schemes (8)
Ellesmere Island: trilobites, Carboniferous (22)
England: Jurassic dinosaurs (123)
Environment: influence on stromatolite branching patterns (56)
Eocene: Gastropoda, Antarctica (141)
Evolution: *Bolivinoides*, Cretaceous, New Jersey (91); multituberculate mammals (85); Primates, Paleocene (98); Silurian crinoids (3)
Evolution rates: and number of descriptive terms (14)
Fish: acanthodid shoulder girdle, Mississippian, Nova Scotia (139); crossopterygian fauna, New Brunswick, Canada (51)
Foraminifera: biostratigraphy, Cretaceous, New Jersey (67); neotype of *Globigerina cretacea* var. *delrioensis* (79)
France: basicranial anatomy of *Cynelos*, Carnivore (58)
Functional morphology: crinoids, Silurian (3)
Fusulinids: in carbonate microfacies, Bird Spring Group, Nevada (70); *Paradoxiella*, Japan (102)
Galushamys redingtonensia: new genus and new species, rodent (60)
Gastropoda: Eocene, Antarctica (141); land snails, Midway Atoll (114); Mississippian, replacement name (46); Paleocene, North Dakota (12); paleoecology, Ordovician, Tennessee (118); Pliocene, Baja California, Mexico (33); Tertiary, western North America (140)
Globigerina cretacea var. *delrioensis*: neotype (79)
Graptolites, ecology and age, New York (11)
Griffithides (Griffithides) majus: new species, trilobite (22)
Griffithides (Griffithides) megalopos: new species, trilobite (22)
Hagnocrinus bainbridgensis: new genus and new species, crinoid (42)
Hagnocrinus balli: new species, crinoid (42)
Hagnocrinus crenus: new species, crinoid (42)
Haptodus garnettensis: new species, sphenacodont reptile (28)
Hindella kiaeri: new species, Brachiopoda (110)
Hirneacrinus cupellaeformis: new genus and new species, crinoid (42)
Hirneacrinus perplanus: new species, crinoid (42)
Hoploparia bearpawensis: new species, decapod (38)
Hyattidininae: new subfamily, Brachiopoda (110)
Icriodus csakyi: new species, conodont (23)
Icriodus hadnagyi: new species, conodont (23)
Idaho: brachiopods, opportunistic species (1)

Illinois: nautiloid, Pennsylvanian (124); Silurian conodonts (73)
India: conodonts, Triassic (44)
Iowa: blastoids, Mississippian (75); Devonian brachiopod community patterns (31)
Japan: *Paradoxiella*, fusulinid (102)
John Day Formation: mammals, Oregon (134)
Jurassic: Ammonoidea, *Turgurites* (64); dinosaurs, England (123); pterosaur, Colorado (62)
Kansas: cirripeds, Cretaceous (55); Cretaceous mosasaurs (78); Cretaceous teuthid (50); pelycosaur, Pennsylvanian (28)
Kentucky: coral microstructure, Pennsylvanian (115)
Kenya: Reptilia, Triassic (54)
Latvius porosus: new species, crossopterygian fish (51)
Life assemblage: brachiopod, *Meekella striatocostata* (129)
Linuparus pustulosus: new species, decapod (38)
Liopistha coahuilensis: new species, Bivalvia (132)
Lissamphibia: origin and ontogeny (13)
Lycopsis longirostrus: new species, marsupial (77)
Macrognathomys gemmacollis: new species, mammal (48)
Mahgarita: new genus name for *Margarita* Wilson and Szalay, Primates (131)
Mametella chautauquae: new genus and new species, red algae (16)
Mammalia: basicranial anatomy of *Cynelos* (58); camel jaw variations, Nebraska (20); Cetaceans, Pliocene, Virginia (6); chronostratigraphy (133); horse, Miocene, North America (111); marsupial, Miocene, Colombia (77); Miocene, Oregon (134); multituberculates, variation and evolution (85); Pliocene, California (45); primate evolution, Paleocene (98); rodents, Hemphillian, Arizona (60); *Schizotheroides*, Oligocene, Texas (105); Zapodidae, Neogene, South Dakota (48)
Martoceras saundersi: new species, Ammonoidea (84)
Megaproetus cambrertus: new subgenus and new species, Trilobita (61)
Megasminthus gladiofex: new species, mammal (48)
Mesozoic: brachiopods, opportunistic species, Idaho-Utah (1)
Mexico: Difunta Group, paleontology, Cretaceous-Tertiary (132); Pliocene gastropod, Baja California (33)
Michigan: spiriferid brachiopods, Devonian (93); sponge, Devonian (96)
Microcrinoids: morphology, Cretaceous, Texas (108)
Microstructure: corals, Pennsylvanian, Kentucky (115)
Midcontinent: crinoids, Silurian (42)
Midway Atoll: land snails, Pleistocene (114)
Miocene: horse, North America (111); mammals, Oregon (134); Marsupial, Colombia (77); stream channel fauna, South Dakota (49)
Mississippian: acanthodid shoulder girdle, Nova Scotia (139); blastoids, western Canada (76); blastoids, Iowa (75); calcareous red algae, North America (16); Trilobita, Queensland (61)
Missouri: barnacle borings, Devonian (97)
Monoplacophora: internal structure of *Pilina*, Ordovician, Oklahoma (89)
Montana: decapods, Cretaceous (38); stromatolite branching patterns (56)
Morphologic variation: camel jaws, Nebraska (20); Ordovician taxodont bivalve, Quebec (18); Silurian brachiopods, Arctic Canada (63); terebratulid brachiopod, Paleocene (37)
Morphology: conservatism, of Devonian brachiopod (59); opportunistic brachiopods, Idaho-Utah (1)
Multituberculates: *Mesodoma*, variation and evolution (85)
Nautiloid: Pennsylvanian, Illinois (124)
Nebraska: camel jaw, morphologic variations (20)
Neogene: rodent, South Dakota (48)
Neospathodus labiatus: new species, conodont (44)
Neospathodus spitiensis: new species, conodont (44)
Nevada: brachiopods, Cambrian (100); fusulinids, Bird Spring Group, Pennsylvanian (70)
New Brunswick: Crossopterygian fauna, Albert Formation (51)
New Jersey: Cretaceous biostratigraphy, *Bolivinoides* (91); Cretaceous biostratigraphy, dinoflagellate and foraminiferal (67); terebratulid brachiopod; paleoecology (37)
New Mexico: Reptilia, *Dimetrodon*, Permian (9)
New York: brachiopod, Devonian (15); Devonian ostracode ontogeny (7); graptolites, ecology and age (11); *Pachyphyllum*, Devonian (116); protoconodonts, Cambrian (69)
Niobrarateuthis walkeri: new species, cephalopod (50)
Nipponaspis miosilus: new species, trilobite (22)
Nipponites occidentalis: new species, Ammonoidea (127)
North America: calcareous red algae, Mississippian (16); coral biostratigraphy, Paleozoic (103); Gastropoda, Tertiary (140); horse, Miocene (111); Ordovician trilobites (74)

North Dakota: Gastropoda, Paleocene (12)
Nova Scotia: acanthodid shoulder girdle, Mississippian (139)
Nuculites planulatus: Quebec, morphological variation (18)
Orthospirifer cooperi cooperi: new subspecies, Brachiopoda (93)
Orthospirifer cooperi genshawensis: new subspecies, Brachiopoda (93)
Orthospirifer minutus: new species, Brachiopoda (93)
Orthospirifer traversensis: new species, Brachiopoda (93)
Octocorals: Cretaceous sclerites, Poland (2)
Oklahoma: crinoids, Silurian (40); internal structure of *Pilina*, Ordovician monoplacophoran (89)
Oligocene: amphisbaenian reptile, Wyoming (10); mammal, *Schizotheroides*, Texas (105)
Ontogeny: Devonian ostracode (7); dissorophoids and the origin of Lissamphibia (13)
Opportunistic species: brachiopods, Idaho-Utah (1)
Ordovician: Brachiopoda, Scandinavia (110); gastropod paleoecology, Tennessee (118); graptolites, New York (11); Monoplacophora, internal structure of *Pilina* (89); palaeotaxodont bivalve, morphological variation (18); trilobites, Virginia (5); trilobites, North America (74)
Oregon: mammals, Miocene (134)
Ostracode: Devonian, ontogeny (7)
Paleobiology: Cretaceous bivalves (107)
Paleocene: Brachiopoda, paleoecology (37); Gastropoda, North Dakota (12); primate evolution (98)
Paleoecology: brachiopod community patterns, Devonian, western Canada and Iowa (31); Gastropoda, Ordovician, Tennessee (118); graptolites, Ordovician, New York (11); opportunistic brachiopods, Idaho-Utah (1); Permian amphibians (52); significance of ecological succession (90); terebratulid brachiopod, Paleocene (37)
Paleozoic: brachiopods, opportunistic species, Idaho-Utah (1); coral biostratigraphy, North America (103); dendroid bryozoans, budding patterns (81)
Paraphillipsia aglypta: new species, trilobite (22)
Paronychomys lemredfieldi: new genus and new species, rodent (60)
Paronychomys tuttlei: new species, rodent (60)
Parotosuchus: new genus name, amphibian (88)
Pedinopomus garrisonensis: new genus and new species, Gastropoda (12)
Pelekysgnathus klamathensis: new species, conodont (104)
Pennsylvanian: blastoid, Texas (120); coral microstructure, Kentucky (115); Crinoidea (119); fusulinids, Nevada (70); nautiloid, Illinois (124); pelycosaur, Kansas (28); trace fossils, *Cruziana*, Silurian (43); trilobite, *Ditomopyge ornata* (21)
Permian: Ammonoidea, Western Canada (84); amphibians, paleoecology (52); Reptilia, *Dimetrodon*, New Mexico (9); trace fossils, Alberta (80); trilobites, Alaska and Ellesmere Island (22)
Perognathus henryredfieldi: new species, rodent (60)
Photography: of low contrast fossils (57)
Pleistocene: land snails, Midway Atoll (114)
Plesiosaur: Cretaceous, Tennessee (130)
Pliocene: Cetaceans, Virginia (6); gastropod, Baja California, Mexico (33); Hemphillian rodents, Arizona (60); mammals, California (45)
Poland: octocoral sclerites, Cretaceous (2)
Polygnathus boucoti: new species, conodont (104)
Precambrian: algal structures, Australia (86)
Prionodinium alaskense: new genus and new species, dinoflagellate (72)
Prionodinium alveolatum: new species, dinoflagellate (72)
Proetus (Coniproetus) whittakerensis: new species, trilobite (23)
Proetus (Pudoproetus) hahni: new species, trilobite (22)
Proterozoic: stromatolite branching patterns (56)
Protoconodont: "supertooth" model (69)
Protoendodonta laddi: new genus and new species, gastropod (114)
Pseudoxybeloceras (Cyphoceras) nanaimoense: new subgenus and new species, Ammonoidea (126)
Pterospathodontidae: new family, conodonts (25)
Pyrenoid-like structures: Precambrian algae, Australia (86)
Quebec: *Nuculites planulatus*, morphologic variability (18)
Queensland: Trilobita, Mississippian (61)
Reptilia: Amphisbaenian, Oligocene, Wyoming (10); Cretaceous mosasaurs, Kansas (78); *Dimetrodon*, Permian, New Mexico (9); dinosaurs, Jurassic, England (123); pelycosaur, Pennsylvanian, Kansas (28); pterosaur, Jurassic, Colorado (62); Triassic, Kenya (54)
Respiratory schemes: Edrioasteroidea (8)
Rodentia: South Dakota (47)

Rodents: Hemphillian, Arizona (60)
Ronquillomys wilsoni: new genus and new species, rodent (60)
Rutkowskiella tumula: new genus and new species, sponge (96)
Salinity tolerance: and pedicle regeneration, *Lingula* (53)
Scandinavia: Brachiopoda, Ordovician and Silurian (110)
Sclerites: Cretaceous octocorals, Poland (2)
Silurian: Brachiopoda, atrypoid, Arctic Canada (113); Brachiopoda, Arctic Canada (63); Brachiopoda, Scandinavia (110); camerate crinoids, Oklahoma, Tennessee (40); conodont classification (25); conodonts, Illinois (73); crinoids, morphology and evolution (3); crinoids, North America (42); trace fossils, *Cruziana*, Pennsylvania (43)
South Dakota: rodents, Neogene (48); Tertiary stream channel fauna (49)
Spain: trace fossil, Cambro-ordovician (4); trace fossils, Cretaceous (27)
Spathorhynchus natronicus: new species, reptile (10)
Spinulothele: new genus, Brachiopoda (100)
Sponge: boring pattern in corals (125); Devonian, Michigan (96)
Stacheoceras mongeri: new species, Ammonoidea (84)
Strامentum elegans: new species, cirriped (55)
Strامentum moorei: new species, cirriped (55)
Straparollus (Euomphalus) xylacus: replacement name, Gastropoda (46)
Stratigraphic nomenclature: time stratigraphic units (83)
Stream channel fauna: Miocene, South Dakota (49)
Stromatolites: environmental influence on branching patterns (56)
Stromatoporoid: *Stictostroma*, types (35)
Taxonomy: Ammonoidea, Cretaceous (126)
Techniques: collecting with chain saw (92); computer compatible data collection (26); photography of low contrast fossils
Tennessee: crinoids, Silurian (40); gastropod paleoecology, Ordovician (118); Plesiosaur, Cretaceous (130)
Tertiary: Difunta Group, paleontology, Mexico (132); Gastropoda, Western North America (140)
Texas: blastoid, Pennsylvanian (120); microcrinoid morphology, Cretaceous (108); Oligocene mammal, *Schizotheroides* (105)
Trace fossils: barnacle borings, Devonian, Missouri (97); Cambro-ordovician, Brittany and Spain (4); Cretaceous, deep water, modular construction (27); *Cruziana*, Silurian, Pennsylvania (43); *Gyrolithes*, relationship to Polychaeta (95); Permian, Alberta (80); sponge borings in corals (125)
Triassic: conodonts, India (44); Reptilia, Kenya (54)
Trigonia saltillensis: new species, Bivalvia (132)
Trilobita: Carboniferous and Permian, Alaska and Ellesmere Island (22); Devonian, northwestern Canada (23); *Ditomopyge ornata*, Pennsylvanian (21); entombed in brachiopod shell (19); Mississippian, Queensland (61); Ordovician, North America (74); Ordovician, Virginia (5)
Utah: brachiopods, opportunistic species (1)
Variation: multituberculate mammals (85)
Virginia: Pliocene cetaceans (6); Trilobita, Ordovician (5)
Vjalovognathus: new genus name, conodont (68)
Volutocorbis virginiae: new species, Gastropoda (140)
Waagenoceras canadensis: new species, Ammonoidea (84)
Warburgella (Anambon) mackenziensis: new species, trilobite (23)
Warburgella rugulosa hartensis: new subspecies, trilobite (23)
Whales: Pliocene, Virginia (6)
Wyoming: reptiles, Oligocene (10)